



# **solavanti** lighting




DESIGN





04 / **Decorative LED**





**DARK LIGHT**

**LED ENERGY**

fast connection

dimmable

3.5" x 3.5"

1.6"



350mA	III	excl.	19.7"
1w	LED		
→	2.9" x 2.9"	1.6"	
die cast	pcs	lb 0.3	in <sup>3</sup>

order code	
D68005/G/D	grey/daylight
D68005/G/W	grey/warm
D68005/G/BL	grey/blue
D68005/G/GR	grey/green
D68005/G/R	grey/red
D68005/G/Y	grey/yellow

Driver required, see page 262  
For concrete installation order  
D68005/BOX



	pcs	lb 1.2	in <sup>3</sup>

order code	
D68005/BOX	

Concrete installation box for fitting  
D68005

**DARK LIGHT**

**LED ENERGY**

fast connection

dimmable

9.3" x 3.1"

3.0"



350mA	III	excl.	19.7"
1w	LED		
→	2.6" x 8.3"	3.5"	
die cast	pcs	lb 1.6	in <sup>3</sup>

order code	
D68008/G/D	grey/daylight
D68008/G/W	grey/warm
D68008/G/BL	grey/blue

Driver required, see page 262  
For concrete installation order  
D68008/BOX




	pcs	lb 1.3	in <sup>3</sup>


















order code	
D68008/BOX	

Concrete installation box for fitting  
D68008




















Decorative LED ■ LED




 		120v															
																	
																	
natural aluminum	 pcs	 0.4		<table border="1"> <thead> <tr> <th colspan="2">order code</th> </tr> </thead> <tbody> <tr> <td>D68010/D</td> <td>daylight</td> </tr> <tr> <td>D68010/W</td> <td>warm</td> </tr> <tr> <td>D68010/BL</td> <td>blue</td> </tr> <tr> <td>D68010/GR</td> <td>green</td> </tr> <tr> <td>D68010/R</td> <td>red</td> </tr> </tbody> </table>		order code		D68010/D	daylight	D68010/W	warm	D68010/BL	blue	D68010/GR	green	D68010/R	red
order code																	
D68010/D	daylight																
D68010/W	warm																
D68010/BL	blue																
D68010/GR	green																
D68010/R	red																



 		120v									
											
											
natural aluminum	 pcs	 0.4		<table border="1"> <thead> <tr> <th colspan="2">order code</th> </tr> </thead> <tbody> <tr> <td>D68011/D</td> <td>daylight</td> </tr> <tr> <td>D68011/W</td> <td>warm</td> </tr> </tbody> </table>		order code		D68011/D	daylight	D68011/W	warm
order code											
D68011/D	daylight										
D68011/W	warm										




Decorative LED ■ LED




120v			IP54
	LED		
natural aluminum		lb 1.0	

order code	
D67220A/AL/D	aluminum/daylight
D67220A/AL/W	aluminum/warm



120v			IP54
	LED		
natural aluminum		lb 1.2	

order code	
D67222A/AL/D	aluminum/daylight
D67222A/AL/W	aluminum/warm



120v			
	LED		
natural aluminum		lb 1.4	

order code	
D60004/AL/D	daylight
D60004/AL/BL	blue
D60004/AL/GR	green
D60004/AL/R	red



 		120v		incl. ELE	IP54	<b>order code</b>  D68030/G/D      grey/daylight D68030/G/W      grey/warm
			LED			
			2.0"		2.0"/3.5"	For gypsum wall 2.0" depth required For concrete installation 3.5"
		die cast		lb 0.7		


 		120v		incl. ELE	IP54	<b>order code</b>  D68032/G/D      grey/daylight D68032/G/W      grey/warm
			LED			
			2.0"		2.0"/3.5"	For gypsum wall 2.0" depth required For concrete installation 3.5"
		die cast		lb 0.7		




Decorative LED ■ LED

 		120v			IP54	<b>order code</b>	
						D67240/G/D	grey/daylight
						D67240/G/W	grey/warm
		die cast		1.0			

 		120v			IP54	<b>order code</b>	
						D67242/G/D	grey/daylight
						D67242/G/W	grey/warm
		die cast		1.0			





**LED**  
ENERGY



120v			
3w	GU10		
die cast	3.3"	4.3"	
	pcs		lb
		0.8	
			in <sup>3</sup>

order code	
D11105GMC/D	br.chrome/daylight
D11105GMC/W	br.chrome/warm
D11105GMC/BL	br.chrome/blue
Use 3w LED GU10 lamp 9pcs LED operated independently	

**LED**  
ENERGY



120v			
3w	GU10		
die cast	3.3"	4.3"	
	pcs		lb
		1.0	
			in <sup>3</sup>

order code	
D51105GMC/D	br.chrome/daylight
D51105GMC/W	br.chrome/warm
D51105GMC/BL	br.chrome/blue
Use 3w LED GU10 lamp 16pcs LED operated independently	




Decorative LED ■ LED

**LED**  
ENERGY




120v			
	incl. ELE		
	3w	GU10	
	die cast		
		3.3"	4.3"

order code	
D10105G/MC/D	br.chrome/daylight
D10105G/MC/W	br.chrome/warm
D10105G/MC/BL	br.chrome/blue
Use 3w LED GU10 lamp	
9pcs LED operated independently	



120v			
	6x0.2w	LED	
natural aluminum		lb	1.5

order code	
D12101/AL/D	daylight
D12101/AL/W	warm
D12101/AL/BL	blue





Decorative LED ■ LED



120v/ 350mA			
natural aluminum			
	pcs	lb	in³
		1.7	

order code	
D62401AL/D/15	daylight
D62401AL/W/15	warm
15 indicates beam angle	





Decorative LED ■ LED



120v/ 700mA			
natural aluminum	 pcs	 1.1	

order code	
D63001/AL/W	warm
D63001/AL/BL	blue
D63001/AL/R	red





120v/ 350mA			
	LED		
natural aluminum			

order code	
D60008A/AL/W	warm
D60008A/AL/BL	blue



120v/ 350mA			
	LED		
natural aluminum			

order code	
D60008/AL/D	daylight
D60008/AL/W	warm
D60008/AL/BL	blue



Decorative LED ■ LED



120v/ 350mA		 incl. ELE	
 1w	 LED		
natural aluminum	 pcs	 lb 0.4	 in³

order code	
D60010/AL/D	daylight
D60010/AL/W	warm
D60010/AL/BL	blue



# LED display



**LED ENERGY**

fast connection



350mA	III	excl.	15.7"
1w	LED	house icon	rotation icon
up arrow	right arrow	down arrow	1.0"
die cast	pcs	lb 0.1	in <sup>3</sup>

order code	
D65101A/G/D/15	grey/daylight
D65101A/G/W/15	grey/warm
Driver required see page 262 15 indicates beam angle	

Decorative LED ■ LED





Decorative LED ■ LED



<b>LED ENERGY</b> fast connection		350mA	III	excl.	15.7"	<b>order code</b>  D65101B/G/D/15      grey/daylight D65101B/G/W/15      grey/warm
		1w	LED			
						Driver required see page 262 15 indicates beam angle
		die cast	pcs	lb	in <sup>3</sup>	

<b>LED ENERGY</b> fast connection		350mA	III	excl.	15.7"	<b>order code</b>  D65101C/G/D/15      grey/daylight
		1w	LED			
						Driver required see page 262 15 indicates beam angle
		die cast	pcs	lb	in <sup>3</sup>	

<b>LED ENERGY</b>		120v/ 350mA		incl. ELE		<b>order code</b>  D60006/G/D      grey/daylight D60006/G/W      grey/warm
		1w	LED			
		die cast	pcs	lb	in <sup>3</sup>	

Decorative LED ■ LED

174




































120v			
	LED		
natural aluminum		lb 0.4	

order code	
D60001/AL/D	daylight
D60001/AL/BL	blue
D60001/AL/GR	green
D60001/AL/R	red
D60001/AL/Y	yellow































Decorative LED ■ LED

 		120v				<b>order code</b> D65102/D D65102/W daylight warm
						
 						
		natural aluminum				

 		120v				<b>order code</b> D65130/AL/W warm
						
 						
		natural aluminum				



 		120v				<b>order code</b>  D60002/AL/D                      daylight D60002/AL/BL                    blue
						
 						Laser engraving available.
		natural aluminum				

 		120v				<b>order code</b>  D60003/AL/D                      daylight D60003/AL/BL                    blue
						
 						Laser engraving available.
		natural aluminum				



# LED fiber optic

Decorative LED ■ LED

178



**LED**  
ENERGY



120v			
	LED		

order code	
D39002/RGB	RGB

Suitable for bathrooms  
 120 fibers  
 40 pcs 3.3 ft  
 40 pcs 4.9 ft  
 40 pcs 6.6 ft



Decorative LED ■ LED

**LED**  
ENERGY



120v			
 0.06w	 LED		
glass	 pcs	 lb 2.5	 in <sup>3</sup>

order code	
D9C003/F	flame
D9C003/RGB	RGB
Set of 3 candle holders with glass Rechargeable	

**LED**  
ENERGY



 0.06w	 LED		
glass	 pcs	 lb 0.6	 in <sup>3</sup>

order code	
D9C001/F	flame
D9C001/RGB	RGB
Extra candle holders with glass Rechargeable	



SOLAVANTI LIGHTING, LLC

Dallas, Texas

Tel.: 1.866.356.4458

Fax: 1.866.516.1924

[www.solavantilighting.com](http://www.solavantilighting.com)