



solavanti lighting



DESIGN



08 / **Accessories**

LED drivers 350mA

			100-230v /350mA UNI.			order code 3w D89003
						Driver for 1-3pcs 1w LED 350mA fixtures, operates on 100-240v 50/60Hz primary.

			100-230v /350mA UNI.		0-10V dimmer	order code 8w D89008
						Driver for 1-8pcs 1w LED 350mA fixtures, operates on 100-240v 50/60Hz primary.

			120v		0-10V dimmer	order code 11w 464112
						D890108B dimmable driver for 350mA LEDs, operates on 120v primary. (actual product may differ from photo)

			120v			order code 12w 464110
						Driver for 1-9pcs 1w LED 350mA fixtures, operates on 120v 60Hz primary. (actual product may differ from photo)

			100-230v /350mA UNI.			order code 16w D89016
						Driver for 1-16 pcs 1w LED 350mA fixtures, operates on 100-240v 50/60Hz primary.

			100-240v /350mA UNI.			order code 18w 464111
						Driver for 1-18 pcs 1w LED 350mA fixtures, operates on 120v 60Hz primary. (actual product may differ from photo)

LED driver 700mA

			100-230v /700mA UNI.				order code
							Driver for 1-3pcs 1w LED 700mA fixtures, operates on 120v 60Hz primary.

			100-230v /700mA UNI.				order code
							Driver for 2-4pcs 3w LED 700mA fixtures, Operates on 100-240v 50/60Hz primary.

			100-230v /700mA UNI.				order code
							Driver for 2-8pcs 3w LED 700mA fixtures Operates on 100v-240v 50/60Hz primary.



Accessories ■ LED Drivers

LED accessories

	1-10v DC				order code
					Rotary dimming and push button ON/OFF switch for dimming 0-10v

			350mA or 700mA				order code
							3-way and 6-way extension for all 350mA/700mA LED fixtures with fast connection system.



LED drivers 24v DC



LED ENERGY



120v



order code

12w
470502U

24vDC constant current.
(actual product may differ from photo)



LED ENERGY



100-230v
/24vDC



order code

20w
D89020V

24vDC constant current.
(actual product may differ from photo)



LED ENERGY



120v



order code

60w
470506U

24vDC constant current.
(actual product may differ from photo)



LED ENERGY



120v



order code

100w
470500U






24vDC constant current.
(actual product may differ from photo)











electronic HQI ballast



Accessories ■ Electronic Ballasts

	120v				<table border="1"> <thead> <tr> <th colspan="2">order code</th> </tr> </thead> <tbody> <tr> <td>D89020A/ELE</td> <td>20w HQI lamp</td> </tr> </tbody> </table>	order code		D89020A/ELE	20w HQI lamp
	order code								
	D89020A/ELE	20w HQI lamp							
									
 	Suitable for GE MR16 CMH GX10. (actual product may differ from photo)								

	120v				<table border="1"> <thead> <tr> <th colspan="2">order code</th> </tr> </thead> <tbody> <tr> <td>D89020/ELE</td> <td>20w</td> </tr> <tr> <td>D89035/ELE</td> <td>35w</td> </tr> <tr> <td>D89070/ELE</td> <td>70w</td> </tr> </tbody> </table>	order code		D89020/ELE	20w	D89035/ELE	35w	D89070/ELE	70w
	order code												
	D89020/ELE	20w											
	D89035/ELE	35w											
D89070/ELE	70w												
													
  6.9"x3.0"  1.2"	(actual product may differ from photo)												

	120v				<table border="1"> <thead> <tr> <th colspan="2">order code</th> </tr> </thead> <tbody> <tr> <td>D89150/ELE</td> <td>150w</td> </tr> </tbody> </table>	order code		D89150/ELE	150w
	order code								
	D89150/ELE	150w							
									
  7.6"x3.5"  1.4"	(actual product may differ from photo)								


halogen transformer

	120v/12v				<table border="1"> <thead> <tr> <th colspan="2">order code</th> </tr> </thead> <tbody> <tr> <td>461067U</td> <td>05-60w</td> </tr> <tr> <td>461107U</td> <td>20-105w</td> </tr> </tbody> </table>	order code		461067U	05-60w	461107U	20-105w
	order code										
	461067U	05-60w									
	461107U	20-105w									
 2.2"x1.2"  0.8"  3.0"x1.3"  0.8"	Dimmable with both types of dimmers. (actual product may differ from photo)										




100-230v			

order code	
daylight control system D89902	
Max 60% of energy savings Auto Lux Control system	



1-10v DC			

order code	
D89010B	rotary dimmer
Rotary dimming and push button ON/OFF switch for dimming 0-10v	



120v			 11.8"

order code	
D0962G	GX8.5
0960G	GX10




120v			

order code	
955135	GU10



order code	
Fast Connectors	
D0903M	3-pin male
D0903F	3-pin female
D0904M	4-pin male
D0904F	4-pin female
D0905M	5-pin male
D0905F	5-pin female



order code	
AR111 filter	
D89900/BL	blue
D89900/GR	green
D89900/R	red
D89900/Y	yellow
Fits directly onto AR111 lamp.	



order code	
D60000/G	
Standard cover plate for LED mini series.	



SOLAVANTI LIGHTING, LLC

Dallas, Texas

Tel.: 1.866.356.4458

Fax: 1.866.516.1924

www.solavantilighting.com

